■ *ECA3310A-B illustrated*

iVektor

ENERMAX
POWER. INNOVATION. DESIGN.
www.enermax.com

iVektor

ECA3310

Dual USB 3.0 / USB 2.0 ports & fan speed controller

ENERMAX Patented SlideIn™ ODD design

Rails for easy 3.5"/2.5" device installation



30mm clearance for backside cable routing

Height of CPU cooler: 179mm

■ ECA3310A-W ■ ECA3310B-R ■ ECA3310A-B

Flexible HDD configuration

240mm liquid cooler installation

Features

- **Support dual USB 3.0 ports & dual USB 2.0 ports**
- **Oversized acrylic window with clear view to show off internal rigs**
- **Flexible HDD configuration allows customized system build:**
  - 7 x 3.5" with upper HDD bracket in 3.5" position
  - 4 x 2.5" + 3 x 3.5" with upper HDD bracket in 2.5" position
  - 3 x 3.5" with upper HDD bracket being removed for maximized VGA card cooling
- **Easy installation**
  - ENERMAX patented SlideIn™ ODD design (Patent no. M438105)
  - Rails with rubber pads for easy 3.5"/2.5" device installation
  - 30mm clearance behind M/B tray for easy cable routing
  - Cut-out for quick CPU cooler montage
- **Supreme cooling performance with 6 x fan support:**
  - Dual 12cm fan slots in front for maximized airflow
  - Support 240mm radiator on top
- **Removable dust filters at bottom for easy cleaning**

ENERMAX
POWER. INNOVATION. DESIGN.

© 2013 ENERMAX Technology Corporation. All rights reserved. Specifications are subject to change without prior notice. Actual product and accessories may differ from illustrations.Omissions and printing errors excepted. Content of delivery might differ in different countries or areas. Some trademarks may be claimed as the property of others.

June 2013

iVektor

ECA3310

Advanced Cooling System

■ *ECA3310A-B illustrated*



VGA Card Support



Specifications

iVektor		ECA3310A-B / ECA3310A-W / ECA3310B-W / ECA3310B-R			
Dimensions		D495 x W234 x H508mm			
N.W. (Kg)		6.1			
I/O		2 x USB 3.0 + 2 x USB2.0, HD Audio , Fan Speed Controller			
M/B		Micro ATX / ATX			
Power Supply		ATX 12V (Optional)			
Drive bays	5.25"	3 x Exposed			
	3.5"	7 x Hidden			
	2.5"	4 x Hidden (converted from 4 x 3.5")			
Expansion Slots		7			
Fan Slots	Front	2 x 12cm (12cm LED fan x 1 included; another fan is optional)			
	Rear	1 x 12cm (12cm fan x 1 included)			
	Top	2 x 12cm or 240mm radiator (Optional)			
	Left	Acrylic window (Optional)			
	Bottom	1 x 12cm (Optional)			
Inner Coating		Black			
Panel color		Black (Soft touch coating)	White (Soft touch coating)	White	Red
Height of CPU cooler		179mm			
Water cooler support		240mm radiator installation			

ENERMAX
POWER. INNOVATION. DESIGN.

www.enermax.com

© 2013 ENERMAX Technology Corporation. All rights reserved. Specifications are subject to change without prior notice. Actual product and accessories may differ from illustrations.Omissions and printing errors excepted. Content of delivery might differ in different countries or areas. Some trademarks may be claimed as the property of others.

June 2013